ELSEVIER

Sensors and Actuators B 45 (1997) 281

SENSORS AND ACTUATORS B CHEMICAL

Author Index of Volume B 45

Adamowicz, S., 155
Alegret, S., 55
Asomoza, R., 49
Avaritsiotis, J.N., 223

Baranzahi, A., 183
Berger, F., 175
Bhatnagar, M.C., 209
Bodenhöfer, K., 259
Bonnat, M., 155
Brailsford, A.D., 27, 279

Cahill, C.P., 161
Cai, X., 229
Chambaudet, A., 175
Chambon, L., 107
Choi, G.M., 251
Christensen, J.H., 239
Clemmesen, P., 239
Conway, V.L., 1, 11
Cui, D., 229

de la L. Olvera, M., 49
Demarne, V., 107
Domínguez, C., 55
Du, G.T., 167

Eklöv, T., 71
Etsell, T.H., 131

Feng, G., 229
Foote, R.S., 199
Fouletier, J., 155
Fragoulis, D.K., 223
Fromm, M., 175
Fukui, K., 101

Galán-Vidal, C.A., 55
Gardner, J.W., 19
Germain, J.P., 107
Glass, R.S., 35
Goel, T.C., 43
Göpel, W., 259
Grant, S.A., 35
Grisel, A., 107
Gross, T.S., 1

Han, J., 229
Hansen, G.H., 239
Hassan, A.K., 115
Hassen, K.P., 1
He, Z., 229
Hierlemann, A., 259
Hirata, M., 233
Holesinger, T., 87
Horrillo, M.C., 193

Huh, J.-S., 271
Huyberechts, G., 123

Ivey, D.G., 131

Jacobson, S.C., 199
Johnson, S., 79, 87
Johnston, K.S., 161
Jun, H.K., 271

Kalchenko, V.I., 115
Kang, C.H., 167
Kaptein, W.A., 63
Karube, I., 217
Kim, J.C., 271
Korf, J., 63

Lakowicz, J.R., 93
Le Bot, J., 155
Lee, D.D., 271
Lee, J.S., 265
Licznerski, B.W., 123
Liltorp, K., 239
Liu, G., 245
Li, X., 233
Lloyd Spetz, A., 183
Logothetis, E.M., 27, 279
Lundström, I., 71, 183

Malak, H., 93
Maleysson, C., 107
Manes, L., 193
Mårtensson, P., 183
Ma, X.C., 167
McNiven, S., 217
Miura, N., 141
Mortensen, J., 239
Muñoz, J., 55

Nabok, A.V., 115
Nakagomi, S., 183
Nishida, S., 101

Omar, O., 115

Park, J.W., 265
Pauly, A., 107
Pike, A., 19
Pillai, P.K., 43
Planade, R., 175
Pratt, K.F., 147

Qiu, F., 233, 245

Ramsey, J.M., 199
Raob, G., 93
Ray, A.K., 115

Roggen, J., 123
Rudolf Seitz, W., 1
Ruiters, M.H., 63

Sakai, G., 141
Santos, J., 193
Sasaki, S., 217
Schlunk, R., 259
Schneibel, J.H., 199
Seitz, W.R., 11
Serrini, P., 193
Shane, M., 27
Sharma, G.L., 209
Sharma, R.K., 209
Shi, J., 79, 87
Shimanoe, K., 141
Shin, S.M., 265
Soltis, R.E., 279
Sundgren, H., 71
Sun, L., 233
Suo, H., 233, 245
Suzuki, H., 217
Swanson, B., 79, 87
Szecówka, P., 123

Tang, E.Z., 131
Tobias, P., 183
Tolosa, L., 93

Venema, K., 63
Vishnoi, G., 43
Vlachos, D.S., 223

Wang, H.Y., 199
Wang, Q., 245
Wang, T., 279
Wang, X., 141
Williams, D.E., 147
Woestman, J.T., 27
Wu, F., 245

Xu, B., 233, 245

Yamazoe, N., 141
Yan, D.W., 167
Yang, X., 79, 87
Yang, Z., 217
Yee, S.S., 161
Yoon, D.H., 251
Yussouff, M., 279

Zhang, L., 1, 11
Zhao, M., 245
Zhao, Y.S., 167
Zhu, H., 229
Zou, H.Z., 167
Zwaagstra, J.J., 63

Elsevier Science S.A.
PII S0925-4005(98)00045-8

ELSEVIER

Sensors and Actuators B 45 (1997) 283–286

SENSORS AND ACTUATORS B CHEMICAL

Subject Index of Volume B 45

Acidic catalyst
CO gas sensor based on $Au-La_2O_3$ added SnO_2 ceramics with siliceous zeolite coat, 101
AFM
spin-coated thin films of SiO_2-WO_3 composites for detection of sub-ppm NO_2, 141
Aminated polystyrene
the influence of composition on the properties of pH-swellable polymers for chemical sensors, 1
Amperometry
glucose biosensor based on a reagentless graphite-epoxy screen-printable biocomposite, 55
Analyte-enzyme conjugate
analysis of cortisol with a flow displacement immunoassay, 63
Artificial neural network
simultaneous quantification of carbon monoxide and methane in humid air using a sensor array and an artificial neural network, 123
A simple model of chemical dynamics
CO gas sensor based on $Au-La_2O_3$ added SnO_2 ceramics with siliceous zeolite coat, 101
Attenuated total reflection (ATR) spectroscopy
spectrophotometric studies of chemical species using tapered core multimode optical fiber, 43
Auxiliary phases
applying polarized electrochemical vapor deposition (PEVD) for auxiliary phase deposition at working electrodes of gaseous oxide sensors, 131
Biocomposite
glucose biosensor based on a reagentless graphite-epoxy screen-printable biocomposite, 55
Biosensor
glucose biosensor based on a reagentless graphite-epoxy screen-printable biocomposite, 55
BOD
comparison of the dynamic transient- and steady-state measuring methods in a batch type BOD sensing system, 217
BOD sensor
comparison of the dynamic transient- and steady-state measuring methods in a batch type BOD sensing system, 217
Calixarene
polyelectrolyte and molecular host ion self-assembly to multilayer thin films: An approach to thin film chemical sensors, 87
study of adsorption of some organic molecules in calix[4]resorcinolarene LB films by surface plasmon resonance, 115
Carbon dioxide sensor
static characteristic of planar-type CO_2 sensor based on NASICON and with an inner-heater, 233
Carbon monoxide
influence of carbon monoxide, water and oxygen on high temperature catalytic metal–oxide–silicon carbide structures, 183
microstructure and CO gas sensing properties of porous ZnO produced by starch addition, 251
Carbon monoxide sensor
simultaneous quantification of carbon monoxide and methane in humid air using a sensor array and an artificial neural network, 123
Catalysts
tin oxide-based methane gas sensor promoted by alumina-supported Pd catalyst, 271
Catalytic surface
distributed chemical sensing, 71
Chemical
a model of the transient response of mass-transfer limited gas sensors, 27
Chemical analysis
low temperature bonding for microfabrication of chemical analysis devices, 199
Chemical Sensors
molecular host siloxane thin films for surface acoustic wave chemical sensors, 79
Chrome
response characteristics and application of chalcogenide glass Cr(VI) selective electrode, 239
Combustion
influence of carbon monoxide, water and oxygen on high temperature catalytic metal–oxide–silicon carbide structures, 183
Conductivity
investigation, for NH_3 gas sensing applications, of the Nb_2O_5 semiconducting oxide in the presence of interferent species such as oxygen and humidity, 107
Cortisol
analysis of cortisol with a flow displacement immunoassay, 63
CO selective gas sensor
CO gas sensor based on $Au-La_2O_3$ added SnO_2 ceramics with siliceous zeolite coat, 101
Cy5™
optical assay for glucose based on the luminescnence decay time of the long wavelength dye Cy5™, 93
Cyclodextrin
molecular host siloxane thin films for surface acoustic wave chemical sensors, 79
Dehydration
CO gas sensor based on $Au-La_2O_3$ added SnO_2 ceramics with siliceous zeolite coat, 101
Diameter ratio
the influence of composition on the properties of pH-swellable polymers for chemical sensors, 1
Displacement
analysis of cortisol with a flow displacement immunoassay, 63
Distributed sensor system
distributed chemical sensing, 71
Electrochemical detection
analysis of cortisol with a flow displacement immunoassay, 63

Elsevier Science S.A.
PII S0925-4005(98)00046-X

Electroplating industry
response characteristics and application of chalcogenide glass Cr(VI) selective electrode, 239
Energy transfer
optical assay for glucose based on the luminescnence decay time of the long wavelength dye Cy5™, 93
Ethanol filtering effects
CO gas sensor based on Au–La_2O_3 added SnO_2 ceramics with siliceous zeolite coat, 101
Ethanol gas
lipid LB films for room temperature ethanol gas assay, 229
Evanescent-wave (EW) absorption
spectrophotometric studies of chemical species using tapered core multimode optical fiber, 43
Field effect devices
influence of carbon monoxide, water and oxygen on high temperature catalytic metal–oxide–silicon carbide structures, 183
Flow injection system
response characteristics and application of chalcogenide glass Cr(VI) selective electrode, 239
Fluorescence
a sol–gel based fiber optic sensor for local blood pH measurements, 35
Gas
a model of the transient response of mass-transfer limited gas sensors, 27
Gas electrode reactions
applying polarized electrochemical vapor deposition (PEVD) for auxiliary phase deposition at working electrodes of gaseous oxide sensors, 131
Gaseous oxides
applying polarized electrochemical vapor deposition (PEVD) for auxiliary phase deposition at working electrodes of gaseous oxide sensors, 131
Gases
investigation, for NH_3 gas sensing applications, of the Nb_2O_5 semiconducting oxide in the presence of interferent species such as oxygen and humidity, 107
Gas flows
new method of vaporising volatile organics for gas tests, 259
Gas sensing
study of adsorption of some organic molecules in calix[4]resorcinolarene LB films by surface plasmon resonance, 115
Gas sensor
microstructure and CO gas sensing properties of porous ZnO produced by starch addition, 251
self diagnostic gas sensitive resistors in sour gas applications, 147
study on ethanol sensitivity of nanocrystalline $La_{0.7}Sr_{0.3}FeO_3$-based gas sensor, 245
thermal modelling and characterisation of micropower chemoresistive silicon sensors, 19
Gas sensors
an adaptive neural network topology for degradation compensation of thin film tin oxide gas sensors, 223
a thermodynamical growth model of the SnO_2/Fe_2O_3 multilayer films, 167
influence of the deposition conditions of SnO_2 thin films by reactive sputtering on the sensitivity to urban pollutants, 193
investigation, for NH_3 gas sensing applications, of the Nb_2O_5 semiconducting oxide in the presence of interferent species such as oxygen and humidity, 107
simultaneous quantification of carbon monoxide and methane in humid air using a sensor array and an artificial neural network, 123
SnO_2 and SnO_2:Pt thin films used as gas sensors, 49
tin dioxide-based gas sensors for SO_2 detection: a chemical interpretation of the increase in sensitivity obtained after a primary detection, 175
Glucose
glucose biosensor based on a reagentless graphite-epoxy screen-printable biocomposite, 55
Glucose assay
optical assay for glucose based on the luminescnence decay time of the long wavelength dye Cy5™, 93
GOD
glucose biosensor based on a reagentless graphite-epoxy screen-printable biocomposite, 55
High temperature
influence of carbon monoxide, water and oxygen on high temperature catalytic metal–oxide–silicon carbide structures, 183
Immunosensor
analysis of cortisol with a flow displacement immunoassay, 63
Infrared spectroscopy
tin dioxide-based gas sensors for SO_2 detection: a chemical interpretation of the increase in sensitivity obtained after a primary detection, 175
Inner-heater
static characteristic of planar-type CO_2 sensor based on NASICON and with an inner-heater, 233
In vitro
a sol–gel based fiber optic sensor for local blood pH measurements, 35
Ion selective electrodes
response characteristics and application of chalcogenide glass Cr(VI) selective electrode, 239
Kraton G1652
morphology and porosity of poly(vinylbenzyl chloride) beads containing styrene–ethylene, butylene–styrene triblock copolymer, 11
La_2O_3–Au/SnO_2 ceramics
CO gas sensor based on Au–La_2O_3 added SnO_2 ceramics with siliceous zeolite coat, 101
$La_{0.7}Sr_{0.3}FeO_3$
study on ethanol sensitivity of nanocrystalline $La_{0.7}Sr_{0.3}FeO_3$-based gas sensor, 245
LB films
study of adsorption of some organic molecules in calix[4]resorcinolarene LB films by surface plasmon resonance, 115
Lifetime-based sensing
optical assay for glucose based on the luminescnence decay time of the long wavelength dye Cy5™, 93
Lipid LB films
lipid LB films for room temperature ethanol gas assay, 229
Low temperature bonding
low temperature bonding for microfabrication of chemical analysis devices, 199
Mechanism
mechanism of highly sensitive and fast response Cr doped TiO_2 oxygen gas sensor, 209
Methane
tin oxide-based methane gas sensor promoted by alumina-supported Pd catalyst, 271
Methane sensor
simultaneous quantification of carbon monoxide and methane in humid air using a sensor array and an artificial neural network, 123
Micro catalytic gas sensor
fabrication of a micro catalytic gas sensor using thin film process and Si anisotropic etching techniques, 265

Microfabrication
low temperature bonding for microfabrication of chemical analysis devices, 199
Micro-filament
thermal modelling and characterisation of micropower chemoresistive silicon sensors, 19
Micro-hotplates
thermal modelling and characterisation of micropower chemoresistive silicon sensors, 19
Microstructure
microstructure and CO gas sensing properties of porous ZnO produced by starch addition, 251
Modeling
a model of the transient response of mass-transfer limited gas sensors, 27
Molecular Recognitcon
molecular host siloxane thin films for surface acoustic wave chemical sensors, 79
Morphology
morphology and porosity of poly(vinylbenzyl chloride) beads containing styrene–ethylene, butylene–styrene triblock copolymer, 11
Multilayer films
a thermodynamical growth model of the SnO_2/Fe_2O_3 multilayer films, 167
Multimode optical fiber
spectrophotometric studies of chemical species using tapered core multimode optical fiber, 43
Nanocrystalline material
study on ethanol sensitivity of nanocrystalline $La_{0.7}Sr_{0.3}FeO_3$-based gas sensor, 245
NASICON
static characteristic of planar-type CO_2 sensor based on NASICON and with an inner-heater, 233
Neural networks
an adaptive neural network topology for degradation compensation of thin film tin oxide gas sensors, 223
NO_2 sensor
spin-coated thin films of SiO_2–WO_3 composites for detection of sub-ppm NO_2, 141
Optical
a surface plasmon resonance sensor probe based on retro-reflection, 161
Optical fiber chemical sensor
spectrophotometric studies of chemical species using tapered core multimode optical fiber, 43
Organic volatile compounds
new method of vaporising volatile organics for gas tests, 259
Oxygen electrode
comparison of the dynamic transient- and steady-state measuring methods in a batch type BOD sensing system, 217
Oxygen pump
calibration of a highly sensitive oxygen analyzer for biological applications using an oxygen pump, 155
Oxygen sensor
calibration of a highly sensitive oxygen analyzer for biological applications using an oxygen pump, 155
Pd
tin oxide-based methane gas sensor promoted by alumina-supported Pd catalyst, 271
Pd-MOSFET gas sensor
distributed chemical sensing, 71
Penetration moduli
the influence of composition on the properties of pH-swellable polymers for chemical sensors, 1
Photosynthesis
calibration of a highly sensitive oxygen analyzer for biological applications using an oxygen pump, 155
pH sensors
a sol–gel based fiber optic sensor for local blood pH measurements, 35
Planar-type
static characteristic of planar-type CO_2 sensor based on NASICON and with an inner-heater, 233
Poisoning
self diagnostic gas sensitive resistors in sour gas applications, 147
Polarized electrochemical vapor deposition
applying polarized electrochemical vapor deposition (PEVD) for auxiliary phase deposition at working electrodes of gaseous oxide sensors, 131
Pollutants
influence of the deposition conditions of SnO_2 thin films by reactive sputtering on the sensitivity to urban pollutants, 193
Polyelectrolyte
polyelectrolyte and molecular host ion self-assembly to multilayer thin films: An approach to thin film chemical sensors, 87
Polymer swelling
morphology and porosity of poly(vinylbenzyl chloride) beads containing styrene–ethylene, butylene–styrene triblock copolymer, 11
Polystyrene
morphology and porosity of poly(vinylbenzyl chloride) beads containing styrene–ethylene, butylene–styrene triblock copolymer, 11
Porosity
morphology and porosity of poly(vinylbenzyl chloride) beads containing styrene–ethylene, butylene–styrene triblock copolymer, 11
Potential generating process
response characteristics and application of chalcogenide glass Cr(VI) selective electrode, 239
Quartz crystal microbalance
lipid LB films for room temperature ethanol gas assay, 229
Screen-printing
glucose biosensor based on a reagentless graphite-epoxy screen-printable biocomposite, 55
Selectivity
distributed chemical sensing, 71
Self-assembly
polyelectrolyte and molecular host ion self-assembly to multilayer thin films: An approach to thin film chemical sensors, 87
Semiconducting oxides
investigation, for NH_3 gas sensing applications, of the Nb_2O_5 semiconducting oxide in the presence of interferent species such as oxygen and humidity, 107
Sensitivity
mechanism of highly sensitive and fast response Cr doped TiO_2 oxygen gas sensor, 209
Sensor
a surface plasmon resonance sensor probe based on retro-reflection, 161
polyelectrolyte and molecular host ion self-assembly to multilayer thin films: An approach to thin film chemical sensors, 87
tin oxide-based methane gas sensor promoted by alumina-supported Pd catalyst, 271
Sensor array
self diagnostic gas sensitive resistors in sour gas applications, 147
simultaneous quantification of carbon monoxide and methane in humid air using a sensor array and an artificial neural network, 123

Sensors
a model of the transient response of mass-transfer limited gas sensors, 27
applying polarized electrochemical vapor deposition (PEVD) for auxiliary phase deposition at working electrodes of gaseous oxide sensors, 131
Si anisotropic etching
fabrication of a micro catalytic gas sensor using thin film process and Si anisotropic etching techniques, 265
Siliceous zeolites
CO gas sensor based on $Au-La_2O_3$ added SnO_2 ceramics with siliceous zeolite coat, 101
Silicon carbide
influence of carbon monoxide, water and oxygen on high temperature catalytic metal–oxide–silicon carbide structures, 183
Siloxane
molecular host siloxane thin films for surface acoustic wave chemical sensors, 79
SiO_2
spin-coated thin films of SiO_2-WO_3 composites for detection of sub-ppm NO_2, 141
Sodium nitrate
applying polarized electrochemical vapor deposition (PEVD) for auxiliary phase deposition at working electrodes of gaseous oxide sensors, 131
Sodium silicate
low temperature bonding for microfabrication of chemical analysis devices, 199
Sol-gel
spin-coated thin films of SiO_2-WO_3 composites for detection of sub-ppm NO_2, 141
Sol–gel
a sol–gel based fiber optic sensor for local blood pH measurements, 35
Sour gas monitoring
self diagnostic gas sensitive resistors in sour gas applications, 147
Spectrophotometer
spectrophotometric studies of chemical species using tapered core multimode optical fiber, 43
SPR
a surface plasmon resonance sensor probe based on retro-reflection, 161
Starch
microstructure and CO gas sensing properties of porous ZnO produced by starch addition, 251
Surface acidity
tin dioxide-based gas sensors for SO_2 detection: a chemical interpretation of the increase in sensitivity obtained after a primary detection, 175
Surface plasmon
a surface plasmon resonance sensor probe based on retro-reflection, 161
Surface plasmons
study of adsorption of some organic molecules in calix[4]resorcinolarene LB films by surface plasmon resonance, 115
Surface reaction
mechanism of highly sensitive and fast response Cr doped TiO_2 oxygen gas sensor, 209
Swelling
the influence of composition on the properties of pH-swellable polymers for chemical sensors, 1
Tapered core
spectrophotometric studies of chemical species using tapered core multimode optical fiber, 43
Thermal sensor
thermal modelling and characterisation of micropower chemoresistive silicon sensors, 19
Thermodynamical growth model
a thermodynamical growth model of the SnO_2/Fe_2O_3 multilayer films, 167
Thickness shear mode resonators
new method of vaporising volatile organics for gas tests, 259
Thin film
fabrication of a micro catalytic gas sensor using thin film process and Si anisotropic etching techniques, 265
Thin-film
polyelectrolyte and molecular host ion self-assembly to multilayer thin films: An approach to thin film chemical sensors, 87
Thin films
influence of the deposition conditions of SnO_2 thin films by reactive sputtering on the sensitivity to urban pollutants, 193
SnO_2 and SnO_2:Pt thin films used as gas sensors, 49
spin-coated thin films of SiO_2-WO_3 composites for detection of sub-ppm NO_2, 141
Tin dioxide
simultaneous quantification of carbon monoxide and methane in humid air using a sensor array and an artificial neural network, 123
tin dioxide-based gas sensors for SO_2 detection: a chemical interpretation of the increase in sensitivity obtained after a primary detection, 175
Tin oxide
influence of the deposition conditions of SnO_2 thin films by reactive sputtering on the sensitivity to urban pollutants, 193
SnO_2 and SnO_2:Pt thin films used as gas sensors, 49
tin oxide-based methane gas sensor promoted by alumina-supported Pd catalyst, 271
Titania
mechanism of highly sensitive and fast response Cr doped TiO_2 oxygen gas sensor, 209
Transient
a model of the transient response of mass-transfer limited gas sensors, 27
Trichosporon cutaneum
comparison of the dynamic transient- and steady-state measuring methods in a batch type BOD sensing system, 217
Vaporizer
new method of vaporising volatile organics for gas tests, 259
Water
influence of carbon monoxide, water and oxygen on high temperature catalytic metal–oxide–silicon carbide structures, 183
WO_3
spin-coated thin films of SiO_2-WO_3 composites for detection of sub-ppm NO_2, 141
Zirconia
calibration of a highly sensitive oxygen analyzer for biological applications using an oxygen pump, 155
ZnO
microstructure and CO gas sensing properties of porous ZnO produced by starch addition, 251